



Review of Aluminiumdiscscircles.com

Generated on 2024-05-27

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography



Good



To Improve



Errors



Not Important



Hard to solve



Little tough to solve



Easy to solve



No action necessary

Title Tag



Quality Aluminium Discs Circles & Aluminum Round Circle factory from China

Length: 74 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.

Meta Description



China leading provider of Aluminium Discs Circles and Aluminum Round Circle, HENAN HOBE metaL MATERIALS CO.,LTD. is Aluminum Round Circle factory.

Length: 146 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.

Meta Keywords



Quality Aluminium Discs Circles, Aluminum Round Circle factory, Aluminium Discs Circles manufacturer, Aluminum Round Circle from China

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

[Quality Aluminium Discs Circles & Aluminum Round Circle factory from China](#)
[aluminiumdiscscircles.com/](#)

China leading provider of Aluminium Discs Circles and Aluminum Round Circle, HENAN HOBE metaL MATERIALS CO.,LTD. is Aluminum Round Circle factory.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
1	17	0	0	0	0

<H1> We are good quality supplier of Aluminium Discs Circles, Aluminum Round Circle, Aluminum Round Disc from China. </H1>

<H2> 8.0mm Thickness H12 1050 1100 Aluminium Discs Circles </H2>

<H2> 1.5 Inch Aluminium Discs Circles For Cookware Lighting </H2>

<H2> 0.3 MM Grade 1050 1100 1060 Aluminium Discs Circles </H2>

<H2> Cold Rolled Cookware Aluminum Circle Alloy 1050 1060 1070 1100 </H2>

<H2> 0.3mm Thickness Pure Dia 1600mm Aluminum Discs Blank 1050 1060 1100 </H2>

<H2> Round 100-1600mm Hot Roller Aluminium Circle Plate 3004 3000 </H2>

<H2> 80mm Width 1050 1060 1100 H14 Aluminium Discs Circles </H2>

<H2> 1100 HO Die Casting Pure Aluminum Sheet Circle For Pizza Pan Thickness 0.7mm </H2>

<H2> High Precision 1060 3003 Aluminum Round Disc , H22 metal Stamping Circular Aluminum Plate </H2>

<H2> Spinning Alloy Aluminum Round Circle , Lamp Shade 1060 Aluminum Circular Plate </H2>

<H2> Utensils Alloy Round 3003 Aluminum Disc Silvery Surface OD 120mm - 1300mm </H2>

<H2> Cooking Boiler 3004 Commercial Grade Aluminum Circular Plate Heat Treatment </H2>

<H2> Wafer 3000 Series 3003 Aluminum Aluminium Discs Circles Soft Temper 300 x 1.2mm </H2>

<H2> H12 H14 Aluminium Circles 1mm 3mm 5mm Thickness </H2>

<H2> 80mm Deep Drawing Spinning Aluminum Circle Plate 1050 1060 1100 </H2>


<H2> 3mm Thickness Polished Aluminium Discs Circles For Cookware Pot Making </H2>

<H2> HENAN HOBE metaL MATERIALS CO.,LTD. </H2>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords Cloud



This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
aluminum	47	✓	✓	✓
aluminium	44	✓	✓	✓
discs	42	✓	✓	✓
circles	28	✓	✓	✓
round	27	✓	✓	✓
quality	19	✓	✗	✓
circle	19	✓	✓	✓
metal	13	✗	✓	✓
hobe	12	✗	✓	✓
materials	11	✗	✓	✓
alloy	11	✗	✗	✓
disc	10	✓	✓	✓
cookware	9	✗	✗	✓
thickness	8	✗	✗	✓
plate	8	✗	✗	✓

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

 **Alt Attribute**


We found 45 images on this web page
 3 ALT attributes are empty or missing.

/logo.gif

/images/close.png

/stats.php

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.

 **Text/HTML Ratio**


HTML to Text Ratio is: **3.54%**

Text content size 4188 bytes

Total HTML size 118204 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.

 **GZIP compression**


Wow! It's GZIP Enabled.

 Your webpage is compressed from 115 KB to 24 KB (79.5 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 169.46.45.34 does not redirect to aluminiumdiscircles.com


To check this for your website, enter your IP address in the browser and see if your site loads with the IP address. Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider. If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Warning! We have detected parameters in a massive number of URLs


Your site's URLs contain unnecessary elements that make them look complicated. A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords. Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs


Great, you are not using ?underscores (these_are_underscores) in your URLs. While Google treats hyphens as word separators, it does not for underscores.



WWW Resolve



Warning, no 301 redirects are in place to redirect traffic to your preferred domain. Pages that load successfully both with and without www. are treated as duplicate content!

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.



XML Sitemap



Good, you have XML Sitemap file!
<http://aluminiumdiscscircles.com/sitemap.xml>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.



Robots.txt



Good, you have Robots.txt file!
<http://aluminiumdiscscircles.com/robots.txt>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.

 **Embedded Objects** Perfect, no embedded objects has been detected on this page


Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.

 **Iframe** Perfect, no Iframe content has been detected on this page


Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.

 **Domain Registration** Exactly how many years and months


Domain Age: 7 Years, 212 Days

Created Date: 27th-Oct-2016

Updated Date: 14th-Oct-2022

Expiry Date: 27th-Oct-2024

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.

 **Indexed Pages**


Indexed pages in search engines

0 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.

 **Backlinks Counter**


Number of backlinks to your website

Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL

http://aluminiumdiscircles.com
Length: 21 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., http://www.mysite.com/en/products).



Favicon

 Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Bad, your website has no custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.

 **Page Size**


115 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.
Page size affects the speed of your website; try to keep your page size below 2 Mb.
Tip: Use images with a small size and optimize their download with gzip.

 **Load Time**


7.48 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.
Resources: Check out Google's developer tutorials for tips on how to make your website run faster.

 **Language**


Good, you have declared your language
Declared Language: English

Make sure your declared language is the same as the language detected by Google
Also, define the language of the content in each page's HTML code.

Domain Availability

Domains (TLD)	Status
aluminiumdiscscircles.net	Available
aluminiumdiscscircles.org	Already Registered
aluminiumdiscscircles.biz	Already Registered
aluminiumdiscscircles.us	Available
aluminiumdiscscircles.info	Already Registered

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
qluminiumdiscscircles.com	Available
wluminiumdiscscircles.com	Available
zluminiumdiscscircles.com	Available
xluminiumdiscscircles.com	Available
apuminiumdiscscircles.com	Available

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy

Email address has been found in plain text!



We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing

The website is not blacklisted and looks safe to use.



Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Awesome! This page is mobile-friendly!
Your mobile friendly score is 80/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility




Perfect, no embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View
⚙️⚙️⚙️



The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP

Server IP	Server Location	Service Provider
169.46.45.34	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips

Tips for authoring fast-loading HTML pages:

- ✓ Perfect, your website has few CSS files.
- ✗ Too bad, your website has too many JavaScript files.
- ✗ Too bad, your website is using nested tables.
- ✗ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics

Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.

 **Doc Type**


Your Web Page doctype is HTML 5

The Doctype is used to instruct web browsers about the document type being used.
For example, what version of HTML the page is written in.
Declaring a doctype helps web browsers to render content correctly.

 **W3C Validity**


W3C not validated

W3C is a consortium that sets web standards.
Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index. Run the W3C validation service whenever changes are made to your website's code.

 **Encoding**


Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook:  Profile.php

 Twitter: 

 Instagram: 

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Traffic Rank

No Global Rank



A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:



Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth

\$60 USD



Just a estimated worth of your website based on Alexa Rank.



In-Page Links



We found a total of 78 links including both internal & external links of your site

Anchor	Type	Follow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
English	Internal Links	Dofollow
Home	Internal Links	Dofollow
Products	Internal Links	Dofollow
About Us	Internal Links	Dofollow
Factory Tour	Internal Links	Dofollow
Quality Control	Internal Links	Dofollow
Contact Us	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Aluminium Discs Circles	Internal Links	Dofollow
3003 Aluminum Disc	Internal Links	Dofollow
Cookware Aluminum Circles	Internal Links	Dofollow
Colored Aluminium Discs	Internal Links	Dofollow
Aluminium Coil Strip	Internal Links	Dofollow
Aluminium Circle Plate	Internal Links	Dofollow
Round Aluminum Sheet	Internal Links	Dofollow
Aluminum Round Plate	Internal Links	Dofollow
Aluminum Circle Blanks	Internal Links	Dofollow
Aluminum Disc Blank	Internal Links	Dofollow
Aluminum Foil Lunch Box	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Company News	Internal Links	Dofollow
Large 1050 1060 Aluminum Round Disc Frying Pan Aluminum Circle Blanks	Internal Links	Dofollow
Round 3003 Alloy Aluminium Disk 4 Inch Plain Polishing High Strength	Internal Links	Dofollow
Mill Finished O - H12 Aluminum Circle Disc For Cookware Utensils	Internal Links	Dofollow
8Series Cast Rolled Aluminum Discs 6mm 1070 1100 For Lampshade Signs	Internal Links	Dofollow
H112 1100 1050 1060 3003 5052 5005 Cooker Aluminium Disk	Internal Links	Dofollow

Dia 80mm 1100 1050 1060 3003 5052 5005 Aluminum Discs Blank For Cooker	Internal Links	Dofollow
1050 HO Aluminum Discs Circles For Making Aluminum Cookwares & Road Signs	Internal Links	Dofollow
3003 1050 Aluminum Round Circle Discs 1060 1070 For High Kitchen Utensils	Internal Links	Dofollow
Coffee Urns 1060 Aluminum Round Circle Cold Rolling DC Anti - Corrosion	Internal Links	Dofollow
Diameter 80mm Aluminum Round Circle For Cookwares And Lights	Internal Links	Dofollow
Round Shape Gb/T3880 Alloy Aluminum Wafer 5052	Internal Links	Dofollow
80-1600mm Dia 1050 1060 1070 1100 Round Metal Discs/Circle	Internal Links	Dofollow
Sitemap	Internal Links	Dofollow
Privacy Policy	Internal Links	Nofollow
French	External Links	Dofollow
German	External Links	Dofollow
Italian	External Links	Dofollow
Russian	External Links	Dofollow
Spanish	External Links	Dofollow
Portuguese	External Links	Dofollow
Dutch	External Links	Dofollow
Greek	External Links	Dofollow
Japanese	External Links	Dofollow
Korean	External Links	Dofollow
Arabic	External Links	Dofollow
Hindi	External Links	Dofollow
Turkish	External Links	Dofollow
Indonesian	External Links	Dofollow
Vietnamese	External Links	Dofollow
Thai	External Links	Dofollow
Bengali	External Links	Dofollow
Persian	External Links	Dofollow
Polish	External Links	Dofollow
No Anchor Text	External Links	Dofollow
Mobile Site	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.